

J-POLY 430CP
pg. 2

HMIS RATING HEALTH - 1, FLAMMABILITY - 0, REACTIVITY -
0

SECTION VI: ECOLOGICAL INFORMATION

Ecotoxicity effects:

Toxicity to fish LC50 Rainbow trout 96 h>1,000 mg/l

Toxicity to fish LC50 Bluegill sunfish (*Lepomis macrochirus*) 96
h>1,000 mg/l

Toxicity to aquatic invertebrates EC50 *Daphnia magna* 48 h>1,000
m/l

Saltwater toxicity- No data available.

SECTION VII: REACTIVITY DATA

Product is stable; will not undergo hazardous polymerization.

SECTION VIII: SPILL OR LEAK

PROTECTION

Keep spectators away. Floors may be slippery, so use caution.

Contain spills

immediately with inert materials (e.g. absorbent). Transfer
liquids/solid

diking materials to suitable containers for recovery or disposal
in accordance

with government regulations. Keep spills and runoff out of
municipal sewers

and open bodies of water.

SECTION IX: PERSONAL PROTECTION MEASURES

Respiratory protection meeting OSHA 1910.134 and ANSI Z88.2
requirements

must be followed whenever workplace conditions warrant a
respirator's use.

Use rubber gloves, boots and apron for direct handling. Use
face shield or splash goggles

for eye protection. (See section XI for additional safety
information)

SECTION X: TRANSPORTATION INFORMATION

US DOT Hazard Class: Nonregulated

REPORTABLE QUANTITY: N/A

SECTION XI: ADDITIONAL SAFETY MEASURES

Keep away from heat or open flame. Use product with adequate ventilation.
Avoid breathing vapors. Avoid prolonged or repeated contact with skin. Wash affected areas with soap and water, and consult a physician if irritation persists.
If ingested, give two glasses of water to drink and consult a physician. For eye contact, flush eyes with plenty of water and consult a physician if irritation persists.

J-POLY 430CP
Pg. 3

DEFINITIONS

NFPA RATING: System adopted by National Fire Protection Association to identify hazards in a fire situation:

0 = No known hazard
1 = Slight hazard
2 = Moderate hazard
3 = Severe hazard
4 = Extreme hazard

HMIS RATING: Hazardous Materials Identification System adopted by

by the National Paint & Coatings Association:
0 = Minimal hazard
1 = Slight hazard
2 = Moderate hazard
3 = Serious hazard
4 = Severe Hazard
* = May be chronic

CAS NUMBER: Chemical Abstracts Service Number
SARA: Superfund Amendments Reauthorization Act

Jan. 2004