6419 YOCHELSON PLACE P.O. BOX 819 CLINTON, MARYLAND 20735 (301) 868-3355 FAX (301) 868-3355

# MATERIAL SAFETY DATA SHEET

# SODIUM MOLYBDATE DIHYDRATE

### **PRODUCT IDENTIFICATION**

Chemical Name: Common Name: Formula: Synonyms:

CAS No.:
NIOSH:
Chemical Family:

Sodium Molybdate Dihydrate Sodium Molybdate Crystals Na<sub>2</sub>MoO<sub>4</sub>·2H<sub>2</sub>O Molybdic Acid Disodium Salt Disodium Molybdate Dihydrate Sodium Molybdate (VI) 10102-40-6 QA 5085000 Soluble Molybdenum Compounds

# **COMPANY IDENTIFICATION**

The Chem-Met Company

Mailing Address:	Physical Address
P.O. Box 819	6419 Yochelson Place
Clinton, MD 20735-0189	Clinton, MD 20735

Telephone: 301-868-3355 Fax: 301-868-8946

# **COMPOSITION/INGREDIENTS**

<u>Component</u>	<u>CAS No.</u>	Percent
Sodium Molybdate,		
Na <sub>2</sub> MoO <sub>4</sub>	7631-95-0	85
Water, H <sub>2</sub> O	7732-18-5	15

## **HAZARDS INFORMATION**

Molybdate salts are safe to handle and use under most ordinary conditions of application. No special precautions are needed beyond those employed for any chemical or material of low toxicity. The U.S. Public Health Service in its Bulletin No. 293 "The Toxicity of Molybdenum" dated 1945 reports that "Molybdenum Compounds in general are of a low order of toxicity both from the point of view of observed clinical effects as well as from the histopathological point of view." The New Drug Institute, after conducting tests, reported in the Food, Drug, Cosmetic Law Journal of October, 1955 that "Sodium Molybdate may be classified as a compound with only mildly irritating mucous membrane properties and no sensitizing properties."

Inhalation may cause respiratory tract irritation and chest discomfort. The  $LC_{50}(4 \text{ hr., rat})$  was greater than 1.93 mg/l of air.

Brief skin contact is not likely to cause irritation, but prolonged contact may do so. Tests using rabbits produced no Erythema or Oedema after four days exposure.

Sodium Molybdate is likely to cause some eye discomfort, but no cornea or iris irritation. 1991 studies using rabbits resulted in only mild conjunctival inflammation.

Ingestion of small amounts of Sodium molybdate presents little or no hazard. Reports exist that correlate the incidence of high uric acid levels and gout to the intake of Molybdenum. Acute median  $LD_{50}$  value using rats was 4233 mg/kg body weight.

Molybdenum and its compounds are reported to have caused serious health problems in some animals, particularly ruminants where a copper deficiency known as "Molybdenosis" results.

#### FIRST AID MEASURES

Inhalation:	Remove to fresh air. Give oxygen if there is difficulty in breathing. Consult a doctor.
Skin Contact:	Wash with soap and water.
Eyes:	Flush thoroughly with large amounts of water for at least twenty minutes. Consult a doctor.
Ingestion:	Drink several glasses of water. Consult a doctor.

#### FIRE FIGHTING MEASURES

Sodium Molybdate is not flammable.

# ACCIDENTAL RELEASE MEASURES

**Within the plant.** Collect the residues for disposal in accordance with u.s. epa, state and local regulations. Do not discharge to sewer or natural waters or drainages.

Outside the plant. Follow "within the plant" directions.

Sodium Molybdate is not subject to **SARA** Title III reporting.

#### HANDLING AND STORAGE

Store in a clean, cool and dry area.

Sodium Molybdate may be stored in glass, plastic, paper or steel containers.

Observe all Federal, State and Local regulations when storing.

# **EXPOSURE CONTROLS AND PERSONAL PROTECTION**

Because Sodium Molybdate is of a very low order of toxicity, special protection is not necessary beyond that normally employed for any chemical or material of low toxicity.

### PHYSICAL AND CHEMICAL PROPERTIES

Sodium Molybdate Dihydrate, Na<sub>2</sub>MoO<sub>4</sub>·2H<sub>2</sub>O

Formula Weight:	241.95
Specific Gravity:	3.28
Melting Point:	loses 2H <sub>2</sub> O at 100°C
	Anhydrous salt melts at 687°C
Boiling Point:	Not known
Solubility:	56gms/100ml water at 0°C
	65gms/100ml water at 20°C
	115.5gms/100ml water at 100°C
Appearance:	White Crystalline Powder
Odor:	None

### STABILITY AND REACTIVITY

Stable, dissolves in water. Thermal decomposition products may include Sodium Oxide. Hazardous Polymerization is not reported.

# TOXICOLOGICAL INFORMATION

Risk Phrases: R36, R37, R38

Toxicity Data:

 ivn,mus
 TDL0:968 g/kg.
 ipr,musLD<sub>50</sub>:257 mg/kg

 ipr,rat
 LD<sub>50</sub>:520 mg/kg
 orl,rat LD<sub>50</sub>:4233 mg/kg

OSHA PEL: TWA 5  $mg(Mo)/m^3$ 

ACGIH TVL: TWA 5  $mg(Mo)/m^3$  (soluble molybdenum compounds)

THR: Molybdenum and its compounds are reported by some sources to be poisonous by subcutaneous and interperitoneal routes and highly toxic based on animal experiments.

Other sources report very low toxicity and despite considerable industrial use of molybdenum and its compounds, poisoning by molybdenum itself has yet to be reported.

Some studies suggest that suitable precautions should be taken against the inhalation Of considerable amounts of the more soluble molybdenum compounds.

Molybdenum is not stored in the body to any extent because it is rapidly excreted.

Recent studies have shown that molybdenum has importance as a trace element in the normal growth and development of certain forms of plant life. It has been reported in 1993 to be important in humans for enzyme development and good metabolism. Dietary supplements can be found in most vitamin stores.

### **ECOLOGICAL INFORMATION**

None available.

# **DISPOSAL INFORMATION**

Do not discharge to sewer or natural waters or drainages. While Sodium Molybdate is generally considered non-hazardous, disposal must be made in accordance with EPA and/or state and local regulations. Sodium Molybdate is not a listed hazardous waste.

#### TRANSPORTATION INFORMATION

DOT Classification:	None
DOT Identification:	None
DOT Hazard Label:	None
DOT Packaging Requirements:	None

# **REGULATORY INFORMATION**

Reported in EPA TSCA Inventory

### **OTHER INFORMATION**

The data in this Material Safety Data Sheet applies only to the specific material noted herein and does not apply to any other materials or combination of materials with this or any other product. The information provided herein is based on technical data and sources The Chem-Met Company believes reliable. Chem-Met makes no warranties, expressed or implied, and assumes no responsibility or liability in connection with the use of the material described or the information contained herein.

Any use of the material or data herein must be determined by the user to be in accordance with Federal. State and Local Laws and Regulations.

The Chem-Met Company assumes no responsibility and makes no warranty, expressed or implied, nor any promise, or statement about the accuracy, completeness or current validity of the date contained herein.

This Material Safety Data Sheet is composed in accordance with Chem-Mets understanding of ISO 11014 standard for Material Safety Data Sheets

Effective Date: January 10, 2007 Reviewed on: March 1, 2010